



DECLARATION OF PERFORMANCE

No: UY0607

Identification of The Product : TS EN 14411 Annex H Group B1b (with low water absorption
% 0,5 < Eb ≤ %3 Dry pressed ceramic tiles)

Intended Use : Internal and External floor & wall

Name and Address of Manufacturer: Uşak Seramik San. A.Ş.
Dilek Mah. Değirmenler Sok. No:100 Banaz & Uşak- TÜRKİYE

Systems of Assessment : System 4

Notified Body (if relevant) : N.A.

According to the Regulation (EU) No 305/2011 of the European Parliament and of The Council the products mentioned above meet all the requirements of EN 14411:2016 standart by these declared values;

Characteristics	Declared Values	Related Technical Specification
Reaction to fire	Class A1	EN 14411:2016
Release of Cadmium	< 0,02 mg/dm ²	
Release of Lead	< 0,02 mg/dm ²	
Fracture Resistance, thickness ≥ 7.5 mm	min. 1100 N	
Fracture Resistance, thickness < 7.5 mm	min. 700 N	
Slipperiness	NPD	
Surface Texture	NPD	
Bond Strength (cementitious ad.)	≥ 0,5 N /mm ²	
Crazing Resistance	Resistant	
Thermal Shock Resistance	Resistant	
Freeze / Thaw Resistance	Resistant	

The performance of the product subject to this declaration is in conformity with the declared performance in the table above. This declaration of performance is issued under the sole responsibility of **UŞAK SERAMİK**

(This document does not have expiry date and is valid until next legislation change)

Management Representative

Muradiye KARAKULAK

January 2023

Uşak /TURKEY

UŞAK SERAMİK
SERAMİK ANONİM ŞİRKETİ
Dilek Mah. Değirmenler Sok. No:100-BANAZUŞAK
Tel: 0(276) 326 20 01 • Fax: 0(276) 326 20 11
Banaz Köyü, H. İ. K. B. 896 004 9823
Mers: 08960049823000010 • Tic. Sic. No: 459